

# Fearless and flexible

Our rubber insulated cable H07RN-F will  
never let you down.

Now  
50% more  
flexible!

**Prysmian**  
Group

Linking  
the Future



# Our rubber insulated cable H07RN-F will never let you down.

Going from great to greater, our reliable H07RN-F rubber cable is now 50% more flexible than before. The cable can be applied in cold, wet as well as explosive environments. A perfect choice for transportable motors and machines on for example building sites or in agricultural work. Go ahead, jump at the opportunity!



## Handles hazardous areas

Can be used in explosive or flammable atmospheres.



## Full flexibility

A perfect choice for many different applications.



## Vast operating ability

Works in temperatures from  $-40^{\circ}\text{C}$  to  $+90^{\circ}\text{C}$ .





Bare copper conductor

Rubber insulation

Rubber sheath



### Hardwearing

Withstands impact and the wear and tear of friction caused by mechanical stress.



### Weatherproof

Designed to be used both indoors and out, in rain, snow and sunshine.



### Liquid proof

Resistant to chemicals, grease as well as water.

Click or scan QR-code for →  
complete product information



## PRYSMIAN GROUP

Prysmian MKM Kft.  
Phone: +36 1 382 2222

[infocables-hu@prysmiangroup.com](mailto:infocables-hu@prysmiangroup.com)



[prysmiangroup.hu](https://prysmiangroup.hu)

© All rights reserved by Prysmian Group 2022-09 | Version 1.

Technical data, dimensions and weights are subject to change. All sizes and values without tolerances are reference values. Specifications are for product as supplied by Prysmian Group: any modification or alteration afterwards of product may give different result. The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of Prysmian Group. The information is believed to be correct at the time of issue. Prysmian Group reserves the right to amend this specification without prior notice. This specification is not contractually valid unless specifically authorised by Prysmian Group.

Follow us

